

| Tree No. | Botannical Name <i>Common Name</i> | Age Class | Height M | Spread M | DCH mm | DRB mm | TPZ m. rad. | SRZ m. rad. | L/Sc Amen. | Description, Condition and Comments | SULE |
|----------|---------------------------------------|-----------|----------|----------|--------|--------|-------------|-------------|------------|--|------|
| 1 | Syncarpia glomulifera | M | 14 | 6 | 328 | 535 | 9.1 | 2.5 | 3 | Evergreen tree indigenous to the locality, fair to average condition, the species is not rare or endangered, co-dominant stems, strong union, small branch and twig die back, structure & form modified by past pruning, invaded by vine | 3e |
| | | | | | 460 | | | | | | |
| | <i>Turpentine</i> | | | | 500 | | | | | | |
| 2 | Syncarpia glomulifera | M | 11.5 | 6 | 609 | 700 | 7.3 | 2.8 | 3 | Evergreen tree indigenous to the locality, fair to average condition, the species is not rare or endangered, structure & form modified by past pruning, small branch and twig die back, epicormic growth, invaded by vine | 3e |
| | | | | | | | | | | | |
| | <i>Turpentine</i> | | | | | | | | | | |
| 3 | Syncarpia glomulifera | M | 10 | 3 | 266 | 360 | 3.2 | 2.2 | 3 | Evergreen tree indigenous to the locality, average to poor condition, structure & form modified by past pruning, small branch and twig die back, epicormic growth | 3e |
| | | | | | | | | | | | |
| | <i>Turpentine</i> | | | | | | | | | | |
| 4 | Syncarpia glomulifera | M | 10 | 6 | 575 | 660 | 6.9 | 2.8 | 2 | Evergreen tree indigenous to the locality, fair condition, the species is not rare or endangered, structure & form modified by past pruning, small branch and twig die back, epicormic growth | 2e |
| | | | | | | | | | | | |
| | <i>Turpentine</i> | | | | | | | | | | |
| 5 | Syncarpia glomulifera | M | 12 | 5 | 350 | 428 | 4.2 | 2.3 | 2 | Evergreen tree indigenous to the locality, good condition, the species is not rare or endangered, structure and form typical of the species, small branch and twig die back, epicormic growth, modified by past pruning | 2a |
| | | | | | | | | | | | |
| | <i>Turpentine</i> | | | | | | | | | | |
| 6 | Syncarpia glomulifera | M | 12 | 7 | 535 | 610 | 6.4 | 2.7 | 2 | Evergreen tree indigenous to the locality, good condition, the species is not rare or endangered, structure and form typical of the species, small branch and twig die back, no visible evidence of pests or disease, modified by past pruning | 2a |
| | | | | | | | | | | | |
| | <i>Turpentine</i> | | | | | | | | | | |
| 7 | Phoenix canariensis | M | 8 | 9 | 1010 | 1260 | 12.1 | 3.6 | 3 | Conifer species introduced to the site, good condition, the species is not rare or endangered, structure and form typical of the species, invasive species, tree located within 2.5 m of dwelling | 2c |
| | | | | | | | | | | | |
| | <i>Canary Island date palm</i> | | | | | | | | | | |
| 8 | Cupressus sempervirens 'Stricta' | M | 5.5 | 0.6 | 77 | 107 | 2.5 | 2 | 2 | Conifer species introduced to the site, good condition, the species is not rare or endangered, co-dominant stems, strong union | 2a |
| | | | | | | | | | | | |
| | <i>Narrow Italian cypress</i> | | | | | | | | | | |

| Tree No. | Botannical Name <i>Common Name</i> | Age Class | Height M | Spread M | DCH mm | DRB mm | TPZ m. rad. | SRZ m. rad. | L/Sc Amen. | Description, Condition and Comments | SULE |
|----------|---|-----------|----------|----------|-------------------|--------|-------------|-------------|------------|--|------|
| 9 | Syagrus romanzoffiana <i>Cocos palm</i> | M | 9 | 5 | 210 | 404 | 2.5 | 2.3 | 2 | Palm species introduced to the site, good condition, the species is not rare or endangered, structure and form typical of the species | 2a |
| 10 | Syncarpia glomulifera <i>Turpentine</i> | M | 15 | 10 | 464 523 | 800 | 8.4 | 3 | 2 | Evergreen tree indigenous to the locality, good condition, the species is not rare or endangered, co-dominant stems, strong union, no visible evidence of pests or disease | 2a |
| 11 | Syncarpia glomulifera <i>Turpentine</i> | M | 16 | 11 | 550 | 754 | 6.6 | 2.9 | 2 | Evergreen tree indigenous to the locality, good condition, the species is not rare or endangered, structure and form typical of the species, no visible evidence of pests or disease | 2a |
| 12 | Archontophoenix alexandrae <i>Alexander palm</i> | SM | 7 | 4 | 125 148 150 | 535 | 2.9 | 2.5 | 2 | Palm species introduced to the site, good condition, multi stem, the species is not rare or endangered, co-dominant stems, strong union | 2a |
| 13 | Archontophoenix alexandrae <i>Alexander palm</i> | SM | 6 | 4 | 126 138 183 | 540 | 3.1 | 2.6 | 2 | Palm species introduced to the site, good condition, multi stem, the species is not rare or endangered, co-dominant stems, strong union | 2a |
| 14 | Archontophoenix alexandrae <i>Alexander palm</i> | SM | 7 | 4 | 115 154 157 | 542 | 3 | 2.6 | 2 | Palm species introduced to the site, good condition, multi stem, the species is not rare or endangered, co-dominant stems, strong union | 2a |
| 15 | Syncarpia glomulifera <i>Turpentine</i> | M | 13 | 5 | 285 | 360 | 3.4 | 2.2 | 2 | Evergreen tree indigenous to the locality, good condition, the species is not rare or endangered, structure and form typical of the species, small branch and twig die back | 2a |
| 16 | Angophora costata <i>Smooth bark apple</i> | M | 18 | 10 | 546 | 785 | 6.6 | 3 | 2 | Evergreen tree indigenous to the locality, tree located on adjoining property to the north close to the common boundary fence, good condition, the species is not rare or endangered, structure & form modified by past pruning, small branch and twig die back, sparse high crown | 2a |

| Tree No. | Botannical Name <i>Common Name</i> | Age Class | Height M | Spread M | DCH mm | DRB mm | TPZ m. rad. | SRZ m. rad. | L/Sc Amen. | Description, Condition and Comments | SULE |
|----------|---|-----------|----------|----------|--------|--------|-------------|-------------|------------|---|------|
| 17 | <i>Syncarpia glomulifera</i> <i>Turpentine</i> | M | 16 | 9 | 487 | 665 | 5.8 | 2.8 | 2 | Evergreen tree indigenous to the locality, tree located on adjoining property to the north close to the common boundary, good condition, the species is not rare or endangered, structure and form typical of the species, fair condition, small branch and twig die back, suppressed | 2a |
| 18 | <i>Syncarpia glomulifera</i> <i>Turpentine</i> | SM | 6 | 4 | 173 | 230 | 2.1 | 1.8 | 2 | Evergreen tree indigenous to the locality, tree located on adjoining property to the north 5m from boundary fair condition, the species is not rare or endangered, small branch and twig die back, suppressed | 2a |
| 19 | <i>Eucalyptus saligna</i> <i>Sydney Blue gum</i> | M | 24 | 22 | 600 | 720 | 7.2 | 2.9 | 2 | Evergreen tree indigenous to the locality, tree located on adjoining property to the north 6m from boundary , good condition, the species is not rare or endangered, structure and form typical of the species, small branch and twig die back, storm damage | 2e |
| 20 | <i>Syncarpia glomulifera</i> <i>Turpentine</i> | SM | 9 | 3 | 130 | 190 | 1.6 | 1.6 | 2 | Evergreen tree indigenous to the locality, tree located on adjoining property to the north 4m from boundary , good condition, the species is not rare or endangered, structure and form typical of the species | 2a |
| 21 | <i>Syncarpia glomulifera</i> <i>Turpentine</i> | SM | 9 | 3 | 188 | 223 | 2.3 | 1.8 | 2 | Evergreen tree indigenous to the locality, tree located on adjoining property to the north 3.5m from boundary , good condition, the species is not rare or endangered, structure and form typical of the species | 2a |
| 22 | <i>Syncarpia glomulifera</i> <i>Turpentine</i> | M | 12 | 6 | 210 | 285 | 2.5 | 2 | 2 | Evergreen tree indigenous to the locality, tree located on adjoining property to the north 2m from boundary , good condition, the species is not rare or endangered, structure and form typical of the species | 2a |
| 23 | <i>Eucalyptus paniculata</i> <i>Grey iron bark</i> | M | 17 | 8 | 335 | 437 | 4 | 2.3 | 2 | Evergreen tree indigenous to the locality, tree located on adjoining property to the north 3m from boundary , fair condition, the species is not rare or endangered, structure and form typical of the species, small branch and twig die back | 2a |
| 24 | <i>Syncarpia glomulifera</i> <i>Turpentine</i> | M | 18 | 9 | 478 | 624 | 5.7 | 2.7 | 2 | Evergreen tree indigenous to the locality, good condition, the species is not rare or endangered, structure & form modified by past pruning, small branch and twig die back | 2a |

| Tree No. | Botannical Name <i>Common Name</i> | Age Class | Height M | Spread M | DCH mm | DRB mm | TPZ m. rad. | SRZ m. rad. | L/Sc Amen. | Description, Condition and Comments | SULE |
|----------|---|-----------|----------|----------|-------------------|--------|-------------|-------------|------------|---|------|
| 25 | <i>Syncarpia glomulifera</i> <i>Turpentine</i> | M | 17 | 9 | 442 | 610 | 5.3 | 2.7 | 2 | Evergreen tree indigenous to the locality, good condition, the species is not rare or endangered, structure and form typical of the species, small branch and twig die back | 2a |
| 26 | <i>Syncarpia glomulifera</i> <i>Turpentine</i> | M | 14 | 11 | 338 | 373 | 4.1 | 2.2 | 2 | Evergreen tree indigenous to the locality, tree located close to rear boundary, good condition, the species is not rare or endangered, structure and form typical of the species, minor small branch and twig die back | 2a |
| 27 | <i>Syncarpia glomulifera</i> <i>Turpentine</i> | M | 17 | 4 | 293 | 430 | 3.5 | 2.3 | 2 | Evergreen tree indigenous to the locality, tree located close to the rear boundary, fair condition, the species is not rare or endangered, structure and form typical of the species, canopy dieback and deadwood | 2e |
| 28 | <i>Syncarpia glomulifera</i> <i>Turpentine</i> | M | 18 | 7 | 272 | 325 | 325 | 2.1 | 2 | Evergreen tree indigenous to the locality, tree located close to the rear boundary, fair condition, the species is not rare or endangered, co-dominant stems, strong union, small branch and twig die back | 2a |
| 29 | <i>Syncarpia glomulifera</i> <i>Turpentine</i> | M | 19 | 5 | 346 | 390 | 4.2 | 2.2 | | Evergreen tree indigenous to the locality, tree appears to be located 2.5 m clear of the rear boundary, fair condition, the species is not rare or endangered, structure and form typical of the species, canopy dieback and deadwood | 2a |
| 30 | <i>Syncarpia glomulifera</i> <i>Turpentine</i> | M | 18 | 6 | 306 330 | 750 | 5.4 | 2.9 | 2 | Evergreen tree indigenous to the locality, tree appears to be located 3m clear of the rear boundary, good condition, the species is not rare or endangered, co-dominant stems, strong union, canopy dieback and deadwood | 2a |
| 31 | <i>Syncarpia glomulifera</i> <i>Turpentine</i> | M | 13 | 9 | 267 290 330 | 520 | 6.2 | 2.5 | 2 | Evergreen tree indigenous to the locality, tree appears to be located 6.5m clear of the rear boundary, good condition, the species is not rare or endangered, co-dominant stems, strong union, canopy dieback and deadwood | 2a |
| 32 | <i>Syncarpia glomulifera</i> <i>Turpentine</i> | M | 18 | 8 | 2x350 395 | 790 | 7.6 | 3 | 2 | Evergreen tree indigenous to the locality, tree appears to be located 4.5m clear of the rear boundary, good condition, the species is not rare or endangered, co-dominant stems, strong union, canopy dieback and deadwood | 2a |

| Tree No. | Botannical Name <i>Common Name</i> | Age Class | Height M | Spread M | DCH mm | DRB mm | TPZ m. rad. | SRZ m. rad. | L/Sc Amen. | Description, Condition and Comments | SULE |
|----------|--|-----------|----------|----------|------------|--------|-------------|-------------|------------|--|------|
| 33 | <i>Syncarpia glomulifera</i> <i>Turpentine</i> | M | 17 | 6 | 398 | 600 | 4.8 | 2.7 | 2 | Evergreen tree indigenous to the locality, tree appears to be located 1.5m clear of the rear boundary, fair condition, the species is not rare or endangered, structure and form typical of the species, canopy dieback and deadwood, storm damage | 2a |
| 34 | <i>Syncarpia glomulifera</i> <i>Turpentine</i> | M | 16 | 8 | 2x333 | 620 | 5.7 | 2.7 | 2 | Evergreen tree indigenous to the locality, tree appears to be located 7m clear of the rear boundary, fair condition, the species is not rare or endangered, co-dominant stems, strong union, canopy dieback and deadwood | 2a |
| 35 | <i>Syncarpia glomulifera</i> <i>Turpentine</i> | M | 18 | 6 | 276 | 460 | 3.3 | 2.4 | 3 | Evergreen tree indigenous to the locality, tree appears to be located 3.5m clear of the rear boundary, fair condition, the species is not rare or endangered, storm damage, poor structure and form | 3a |
| 36 | <i>Eucalyptus saligna</i> <i>Sydney Blue gum</i> | M | 20 | 15 | 360 | 493 | 4.3 | 2.5 | 2 | Evergreen tree indigenous to the locality, tree located on adjoining property to the east 8m from the boundary , good condition, the species is not rare or endangered, structure and form typical of the species, canopy dieback and deadwood | 2a |
| 37 | <i>Angophora costata</i> <i>Smooth bark apple</i> | M | 19 | 15 | 740 | 1400 | 8.9 | 3.8 | 2 | Evergreen tree indigenous to the locality, tree located on adjoining property to the east 4.5m from the boundary , good condition, the species is not rare or endangered, structure and form typical of the species, canopy dieback and deadwood, trunk wound invaded by bracket fungi . | 2e |
| 38 | <i>Pittosporum undulatum</i> <i>Native daphne</i> | M | 10 | 6 | 185 135 | 500 | 2.7 | 2.5 | 2 | Evergreen tree indigenous to the locality, tree located on adjoining property to the east aproximately 3m from the boundary , good condition, the species is not rare or endangered, co-dominant stems, strong union, small branch and twig die back | 2a |
| 39 | <i>Angophora costata</i> <i>Smooth bark apple</i> | M | 16 | 8 | 372 | 470 | 4.5 | 2.4 | 2 | Evergreen tree indigenous to the locality, tree located on adjoining property to the east 7.5m from the boundary , good condition, the species is not rare or endangered, structure and form typical of the species, small branch and twig die back | 2a |
| 40 | <i>Angophora costata</i> <i>Smooth bark apple</i> | M | 16 | 9 | 2x446 | 775 | 7.6 | 3 | 2 | Evergreen tree indigenous to the locality, good condition, the species is not rare or endangered, co-dominant stems, strong union, bracket fungi observed on lower trunk | 2e |